





## ORIGINAL PARTS

Preserving the premium performance of your SAF-HOLLAND fifth wheels, axle suspensions, and landing gear requires service parts manufactured with the same original OEM quality as our first fit parts and components. This catalog conveniently provides you with a comprehensive listing of the most popular service parts and kits needed to meet your fleet customer's service needs enabling them to get back on the road to making money.

Stocking the most popular service kits streamlines your inventory control, reduces required shelf space, and simplifies your operation. And most importantly, they ensure you're getting SAF-HOLLAND 100% original quality, original performance, and original reliability. This catalog will assist with quickly leading you to the appropriate kit required. Authorized distributors and dealers can order from one of our Parts Distribution Centers. Fleets can order them through traditional parts sources.

Remember... SAF-HOLLAND Original Parts are OEM quality to ensure peak performance and provide long life to keep your customers on the road.

## ALWAYS SPECIFY ORIGINAL

*Original Quality, Original Performance, Original Reliability*

This catalog is only a portion of all the service parts and kits available from SAF-HOLLAND. Contact one of our helpful customer service representatives at 1-800-876-3929 for assistance.

### ORIGINAL QUALITY

### ORIGINAL PERFORMANCE

### ORIGINAL RELIABILITY



## CONTENTS

|                          |         |
|--------------------------|---------|
| Fifth Wheels.....        | 4 – 9   |
| Landing Gear.....        | 10 – 15 |
| Trailer Suspensions..... | 16 – 21 |
| Air Disc Brakes.....     | 22 – 27 |
| Service Tools.....       | 28 – 31 |

## PRODUCT WEBSITES



HollandFifthWheels.com  
SAFDiscBrakeParts.com  
SAFP89DiscBrakes.com  
SAFP89PlusDiscBrakes.com  
ULX40.com  
CBX40.com  
CBXAeroBeam.com  
NEWAYSuspensions.com  
HollandLandingGear.com  
HollandCouplings.com

## EMAIL CONTACTS



**Aftermarket Sales**  
amsales@safholland.com

**Aftermarket Service and Warranty**  
service@safholland.com

## REQUIRE PARTS OR TECHNICAL SUPPORT?



Need assistance with service parts or technical support for SAF, HOLLAND or NEWAY products? The SAF-HOLLAND numbers below connect you with one of our knowledgeable aftermarket customer service representatives.

**USA 800.876.3929**


**Canada 519.537.3494**

**Mexico 52.55.5362.8843**



*Holland* **FW35**

XA-351-A-L-P (LH)  
XA-351-A-P (RH)  
XA-351-A-80-L-P (AIR)



CAPACITY:  
55,000 LBS. (25,000 kg)  
MAX VERTICAL LOAD  
150,000 LBS. (68,000 kg)  
MAX DRAWBAR PULL

**REBUILD KIT**

RK-351-A-L (LH)  
RK-351-A (RH)  
RK-351-A-80-L (AIR)



RK-09559  
(OPTIONAL LUBE TUBE KIT)

**JAW KIT**

RK-351-07296



**HANDLE KIT**

RK-08415-1



**POCKET INSERTS**

RK-PKT-2



**YOKE/SHAFT/CAM KIT**

RK-351-12415-L (LH)  
RK-351-12415-R (RH)  
RK-351-12415-L80 (AIR)



**MANUAL SECONDARY LOCK KIT**

RK-351-12414



**AUTOMATIC SECONDARY LOCK**

RK-351-12414-L  
RK-351-12414-R



*Holland* **FW33**  
LOW LUBE


XA-331-A-L-P (LH)  
XA-331-A-P (RH)  
XA-331-A-80-L-P (AIR)



CAPACITY:  
55,000 LBS. (25,000 kg)  
MAX VERTICAL LOAD  
150,000 LBS. (68,000 kg)  
MAX DRAWBAR PULL

**REBUILD KIT**

RK-331-A-L (LH)  
RK-331-A (RH)  
RK-331-A-80-L (AIR)



RK-09559  
(OPTIONAL LUBE TUBE KIT)

**JAW KIT**

RK-351-07296



**HANDLE KIT**

RK-08415-1



**LUBE PLATE & POCKET INSERTS**

RK-331-3 (POCKET INSERTS AND LUBE PLATES)  
RK-331-1 (POCKET INSERTS NOT INCLUDED)  
RK-PKT-2 (POCKET INSERTS ONLY)



**YOKE/SHAFT/CAM KIT**

RK-351-12415-L (LH)  
RK-351-12415-R (RH)  
RK-351-12415-L80 (AIR)



**MANUAL SECONDARY LOCK KIT**

RK-311-12414




**AUTOMATIC SECONDARY LOCK**

RK-311-12414-L  
RK-311-12414-R



*Holland* **FW31**  
NOLUBE™

*DISCONTINUED*  
REPLACED BY FW33  
(RECOMMENDED  
ALTERNATIVE)



CAPACITY:  
55,000 LBS. (25,000 kg)  
MAX VERTICAL LOAD  
150,000 LBS. (68,000 kg)  
MAX DRAWBAR PULL

**REBUILD KIT**

RK-311-A-L (LH)  
RK-311-A (RH)  
RK-311-A-80-L (AIR)



**JAW KIT**

RK-311-07296



**HANDLE KIT**

RK-08415-1



**YOKE/SHAFT/CAM KIT**

RK-311-12415-L (LH)  
RK-311-12415-R (RH)  
RK-311-12415-L80 (AIR)



**MANUAL SECONDARY LOCK KIT**

RK-311-12414



**AUTOMATIC SECONDARY LOCK**

RK-311-12414-L  
RK-311-12414-R



**NOTE:** If the HOLLAND fifth wheel kit you are looking for is not mentioned in this catalog, please contact our customer service representatives for assistance – **800.876.3929**.

**NOTE:** See page 9 for mounting bracket connection kits.

## **FWAL** LOW LUBE

**XA-AL-A-L-P (LH)**  
**XA-AL-A-P (RH)**  
**XA-AL-A-80-L-P (AIR)**



FOR GEN I, II & III IDENTIFICATION, REFER TO XL-FW10049UM-en-US

**CAPACITY:**  
55,000 LBS. (25,000 kg)  
**MAX VERTICAL LOAD**  
  
150,000 LBS. (68,000 kg)  
**MAX DRAWBAR PULL**

### REBUILD KIT

**RK-AL-A-L-LL**  
(GEN I, II, & III)  
**RK-AL-A-80-L-LL**  
(GEN II & II AIR)

Additional FWAL retrofit kit, RK-AL-12462, is required to rebuild GEN I & GEN II fifth wheels.



### LOCK & HOOK KIT

**RK-AL-11078-LL**  
(GEN I, II, & III)  
**RK-AL-11925-LL**  
(GEN II & III AIR)

Additional FWAL retrofit kit, RK-AL-12462, is required to rebuild GEN I & GEN II fifth wheels.



### HANDLE KIT

**RK-10495-AL-P**  
(GEN I, II, & III)  
**RK-AL-11384**  
(GEN II & III AIR)



### LUBE PLATE

**RK-AL-1-LL**  
(GEN III)  
**RK-AL-1**  
(GEN I & II)



### POCKET INSERTS

**RK-PKT-2** (GEN III)  
**RK-PKT-3** (GEN I & II)



## **FW17**

**XA-171-A-L-P**  
**XA-171-A-80-L-P**  
(AIR RELEASE)



FOR GEN I & GEN II IDENTIFICATION, REFER TO XL-FW20195PM-en-US

**CAPACITY:**  
50,000 LBS. (22,679 kg)  
**MAX VERTICAL LOAD**  
  
150,000 LBS. (68,000 kg)  
**MAX DRAWBAR PULL**

### REBUILD KIT

**RK-17-A-L-H**  
**RK-17-A-80-L-H (AIR)**



### LOCK & HOOK KIT

**RK-171-12305**  
Includes GEN I & II Hardware

Air release requires full rebuild kit



### HANDLE KIT


**RK-171-12308**  
INCLUDES GEN I & II HARDWARE  
**RK-171-12308-AR**  
(GEN II AIR)

GEN I AIR release requires full rebuild kit.



### POCKET INSERTS

**RK-PKT-2**



**Holland FW0070**

**XA-71-DA-25000P**  
8" MOUNT HEIGHT  
**XA-71-OAP 3.5"**  
**XA-71-DAP 2"**



**CAPACITY:**  
70,000 LBS. (32,000 kg)  
**MAX VERTICAL LOAD**  
  
200,000 LBS. (91,000 kg)  
**MAX DRAWBAR PULL**

**REBUILD KIT**

**9" MOUNT HEIGHT**  
**RK-65014**  
2" KINGPIN  
**RK-65015**  
3.5" KINGPIN



**8" MOUNT HEIGHT**  
**RK-65014-1**  
2" KINGPIN  
**RK-65015-1**  
3.5" KINGPIN

**JAW KIT**

**RK-65024**  
FOR 2"  
KINGPIN JAW  
  
**RK-65024-1**  
FOR 3.5"  
KINGPIN JAW



**HANDLE KIT**

**XA-1117-H**  
9" MOUNT  
  
**XA-03715**  
8" MOUNT



**Holland FW8**

**DISCONTINUED**  
(REPLACED BY FW35 –  
RECOMMENDED  
ALTERNATIVE)



**CAPACITY:**  
55,000 LBS. (25,000 kg)  
**MAX VERTICAL LOAD**  
  
150,000 LBS. (68,000 kg)  
**MAX DRAWBAR PULL**

**REBUILD KIT**

**RK-201-A3-L (LH)**  
**RK-201-A3 (RH)**



For fifth wheels manufactured prior to 1999, add wedge kit RK-09590-W

**HANDLE KIT**

**RK-09557 (LH)**  
**RK-09556 (RH)**



**Holland FWS1**


**DISCONTINUED**  
(REPLACED BY FW17 –  
RECOMMENDED  
ALTERNATIVE)



**CAPACITY:**  
50,000 LBS. (22,679 kg)  
**MAX VERTICAL LOAD**  
  
150,000 LBS. (68,000 kg)  
**MAX DRAWBAR PULL**

**REBUILD KIT**

**RK-FWS-A-L**



**JAW KIT**

**RK-4109939**



**HANDLE KIT**

**RK-10990**



**POCKET INSERTS**

**RK-PKT-2**



**NOTE:** If the HOLLAND fifth wheel kit you are looking for is not mentioned in this catalog, please contact our customer service representatives for assistance – **800.876.3929**.

**NOTE:** See page 9 for mounting bracket connection kits.

**Holland FW35TT**  
**TERMINAL TRACTOR**

**XA-351-TT-1-P**  
NO FITTINGS ON AIR CYLINDER

**XA-351-TT-2-P**  
TWO FITTINGS ON AIR CYLINDER

CAPACITY:  
50,000 LBS. (22,679 kg)  
MAX VERTICAL LOAD

150,000 LBS. (68,000 kg)  
MAX DRAWBAR PULL



**REBUILD KIT**

RK-351-TT



**JAW KIT**

RK-12197



**BUSHINGS**

XB-0011



**BRACKET CONNECTION KIT**

RK-12058



**AIR CYLINDERS**

**XA-12055**  
FOR XA-351-TT-1-P –  
NO FITTINGS ON AIR CYLINDER

**XA-12057**  
FOR XA-351-TT-2-P –  
TWO FITTINGS ON AIR CYLINDER



**POCKET INSERT KIT**

RK-PKT-5



**Holland FW03344**  
**TERMINAL TRACTOR**

**DISCONTINUED**  
(REPLACED BY FW35TT –  
RECOMMENDED  
ALTERNATIVE)

CAPACITY:  
50,000 LBS. (22,679 kg)  
MAX VERTICAL LOAD

150,000 LBS. (68,000 kg)  
MAX DRAWBAR PULL



**REBUILD KIT**

RK-351-03505

AIR CYLINDER -  
1 PORT, 45° ELBOW

RK-351-03505-3

AIR CYLINDER -  
2 PORT, NO ELBOW

RK-351-03505-4

AIR CYLINDER -  
2 PORT, 45° ELBOW



**JAW KIT**

RK-351-08332-1



**BUSHINGS**

XB-0011



**BRACKET CONNECTION KIT**

RK-12058



**AIR CYLINDERS**

**XA-2524-R-13-1**  
1 PORT

**XA-2524-R-13-4**  
2 PORTS



**POCKET INSERT KIT**

**XA-03423**  
SOLD INDIVIDUALLY –  
TWO REQUIRED






**MOUNTING BRACKET CONNECTION KITS**


**RK-06973-1**  
BRACKET  
CONNECTION KIT



**FOR TRADITIONAL  
SLIDER & STATIONARY**




**FOR STATIONARY  
INTEGRATED PLATE MOUNT**




**RK-10605**  
BRACKET  
CONNECTION KIT




**FOR ILS SLIDER & STATIONARY**




**FOR ANGLE MOUNT**



**FOR FOOT MOUNT**



**WITH ANGLE MOUNT**




**RK-171-12310**  
BRACKET  
CONNECTION KIT  
FOR FW17 GEN II  
ONLY



**RK-12058**  
BRACKET  
CONNECTION KIT



**FOR TERMINAL TRACTOR  
FABRICATED FOOT MOUNT**





# Popular Landing Gear Kits



## Holland MARK V™



**LEG WITH  
4.5" SAND SHOE**

| Left-Hand Leg |              |
|---------------|--------------|
| XA-S9-3A105   | 16.5" Travel |
| XA-S9-5A105   | 18.7" Travel |

| Right-Hand Leg (Gear Box) |              |
|---------------------------|--------------|
| XA-S8-3A105               | 16.5" Travel |
| XA-S8-5A105               | 18.7" Travel |



**LEG WITH  
2" LOW-PROFILE  
SAND SHOE**

| Left-Hand Leg |              |
|---------------|--------------|
| XA-S9-3A113   | 16.5" Travel |


| Right-Hand Leg (Gear Box) |              |
|---------------------------|--------------|
| XA-S8-3A113               | 16.5" Travel |



**LEG WITH  
SELF-LEVELING  
FOOT**

| Leg         |              |
|-------------|--------------|
| XA-S9-3A001 | 16.5" Travel |
| XA-S9-5A001 | 18.7" Travel |

| Right-Hand Leg (Gear Box) |              |
|---------------------------|--------------|
| XA-S8-3A001               | 16.5" Travel |
| XA-S8-5A001               | 18.7" Travel |




**LEG WITH  
REMOVABLE  
CUSHION FOOT**

| Left-Hand Leg |              |
|---------------|--------------|
| XA-S9-3A024   | 16.5" Travel |

| Right-Hand Leg (Gear Box) |              |
|---------------------------|--------------|
| XA-S8-3A024               | 16.5" Travel |

## Holland CLASSIC™ GEN II



**LEG WITH  
4.5" SAND SHOE**

| Left-Hand Leg (Gear Box) |            |
|--------------------------|------------|
| LG-CL8-S7E1D-00000       | 17" Travel |


| Right-Hand Leg     |            |
|--------------------|------------|
| LG-CL9-S7E1D-00000 | 17" Travel |



**LEG WITH  
2" LOW-PROFILE  
SAND SHOE**

| Left-Hand Leg (Gear Box) |            |
|--------------------------|------------|
| LG-CL8-S7E1E-00000       | 17" Travel |

| Right-Hand Leg     |            |
|--------------------|------------|
| LG-CL9-S7E1E-00000 | 17" Travel |



**LEG WITH  
LOW-PROFILE  
REMOVABLE  
CUSHION FOOT**

| Left-Hand Leg (Gear Box) |            |
|--------------------------|------------|
| LG-CL8-S7E3B-00000       | 17" Travel |

| Right-Hand Leg     |            |
|--------------------|------------|
| LG-CL9-S7E3B-00000 | 17" Travel |




**LEG WITH  
HEAVY-DUTY LOW  
PROFILE FOOT**

| Left-Hand Leg (Gear Box) |            |
|--------------------------|------------|
| LG-CL8-S7E2G-00000       | 17" Travel |

| Right-Hand Leg     |            |
|--------------------|------------|
| LG-CL9-S7E2G-00000 | 17" Travel |


### BEVEL AND PINION GEAR

RK-11286 – 1 SPEED LEG  
RK-11362 – 2 SPEED LEG



### GEARBOX REPAIR KIT

RK-11287



\*Holland CLASSIC GEN II replaces Holland CLASSIC produced before 01/01/2026


**NOTE:** If the HOLLAND landing gear kit you are looking for is not mentioned in this catalog, please contact our customer service representatives for assistance – 800.876.3929.

**NOTE:** MARK V sets come with standard accessories kit.

# POPULAR HOLLAND LANDING GEAR KITS



## Holland ATLAS™ 55



**LEG WITH  
4.5" SAND SHOE**

| Left-Hand Leg    |            |
|------------------|------------|
| LG4001-710000000 | 17" Travel |
| LG4001-910000000 | 19" Travel |

| Right-Hand Leg (Gear Box) |            |
|---------------------------|------------|
| LG4001-720000000          | 17" Travel |
| LG4001-920000000          | 19" Travel |





**LEG WITH  
2" LOW-PROFILE  
SAND SHOE**

| Left-Hand Leg    |            |
|------------------|------------|
| LG4003-710000000 | 17" Travel |
| LG4003-910000000 | 19" Travel |

| Right-Hand Leg (Gear Box) |            |
|---------------------------|------------|
| LG4003-720000000          | 17" Travel |
| LG4003-920000000          | 19" Travel |

### BEVEL AND PINION GEAR

**RK-11442**




**LEG WITH  
REMOVABLE  
CUSHION FOOT**

| Left-Hand Leg    |            |
|------------------|------------|
| LG400B-710000000 | 17" Travel |
| LG400B-910000000 | 19" Travel |

| Right-Hand Leg (Gear Box) |            |
|---------------------------|------------|
| LG400B-720000000          | 17" Travel |
| LG400B-920000000          | 19" Travel |

### GEARBOX REPAIR KIT

**RK-11443**



## Holland ATLAS™ 65



**LEG WITH  
4.5" SAND SHOE**

| Left-Hand Leg |            |
|---------------|------------|
| 1025300006460 | 17" Travel |
| 1025300006520 | 19" Travel |

| Right-Hand Leg (Gear Box) |            |
|---------------------------|------------|
| 1025300006450             | 17" Travel |
| 1025300006530             | 19" Travel |





**LEG WITH  
2" LOW-PROFILE  
SAND SHOE**

| Left-Hand Leg |            |
|---------------|------------|
| 1025300006620 | 17" Travel |
| 1025300006410 | 19" Travel |

| Right-Hand Leg (Gear Box) |            |
|---------------------------|------------|
| 1025300006610             | 17" Travel |
| 1025300006420             | 19" Travel |

### BEVEL AND PINION GEAR

**RK-11682**




**LEG WITH  
REMOVABLE  
CUSHION FOOT**

| Left-Hand Leg |            |
|---------------|------------|
| 1025300007030 | 17" Travel |
| 1025300008670 | 19" Travel |

| Right-Hand Leg (Gear Box) |            |
|---------------------------|------------|
| 1025300007040             | 17" Travel |
| 1025300008680             | 19" Travel |

### GEARBOX REPAIR KIT

**RK-11683**







**REBUILD KITS**

ORIGINAL PARTS REBUILD KITS FOR DISCONTINUED BINKLEY MODELS

**QUICK TIP**

NOT SURE WHICH MODEL YOU HAVE?  
- MEASURE GEARBOX DEPTH




**51000  
SERIES**



DISCONTINUED  
(Binkley Model  
Replaced by Atlas 55)

**GEAR BOX REPAIR KIT**

**RK-11289**




**50000  
SERIES**



DISCONTINUED  
(Binkley Model  
Replaced by Atlas 65)



**GEAR BOX REPAIR KIT**

**RK-11285**






LANDING GEAR FOOTWEAR AND ACCESSORIES


|                              |   | CLASSIC/<br>CLASSIC<br>GEN II | ATLAS 55  | ATLAS 65  | MARK V   | MARK V<br>HD |  |
|------------------------------|---|-------------------------------|-----------|-----------|----------|--------------|--|
| SAND SHOES                   | Low Profile<br>10" x 10" x 2"<br>                              | 50616008                      |           |           |          |              |  |
|                              | High Profile<br>10" x 10" x 4.5"<br>                           | 50616001                      |           |           |          |              |  |
| AXLE KITS                    | Hollow<br>   | 50616023                      |           |           |          |              |  |
|                              | Solid<br>  | 50616024                      |           |           |          |              |  |
| REMOVABLE<br>CUSHION<br>FOOT | Standard<br>RCF<br>  | N/A                           | LG0048-01 | LG0048-10 | RK-V-024 |              |  |
|                              | Low Profile<br>RCF<br>                                       | 716059                        |           |           |          | N/A          |  |
| ACCESSORIES                  | 68" Cross<br>Shaft<br>                                       | LG0094                        |           |           |          |              |  |
|                              | Crank<br>Handle<br>  | 50644000                      |           |           | 50644015 |              |  |
|                              | Brace Ear<br>and Crank<br>Handle Carrier<br>Hardware Kit<br> | LG2789                        |           |           | LG2790   |              |  |




## LANDING GEAR ADJUSTABLE STRUT BRACES




| PART NO. | "A" [mm]                           | WEIGHT<br>LBS. [kg] |
|----------|------------------------------------|---------------------|
| 50618006 | 26.00" [660.4] TO 41.00" [1041.4]  | 5.30 [2.40]         |
| 50618007 | 42.00" [1066.8] TO 57.00" [1447.8] | 7.00 [3.18]         |
| 50618008 | 56.00" [1422.4] TO 72.00" [1828.8] | 9.10 [4.13]         |



| NO.      | "A" [mm]                           | WEIGHT<br>LBS. [kg] |
|----------|------------------------------------|---------------------|
| 50618009 | 26.00" [660.4] TO 41.00" [1041.4]  | 13.60 [6.17]        |
| 50618010 | 35.00" [889.0] TO 54.00" [1371.6]  | 18.10 [8.21]        |
| 50618011 | 56.00" [1422.4] TO 72.00" [1828.8] | 25.20 [11.43]       |



| PART NO. | "A" [mm]                           | WEIGHT<br>LBS. [kg] |
|----------|------------------------------------|---------------------|
| 50618012 | 26.00" [660.4] TO 41.00" [1041.4]  | 6.50 [2.95]         |
| 50618013 | 42.00" [1066.8] TO 57.00" [1447.8] | 8.80 [3.99]         |
| 50618014 | 56.00" [1422.4] TO 72.00" [1828.8] | 11.10 [5.03]        |



| PART NO. | DESCRIPTION                | "A" [mm]                 | WEIGHT<br>LBS. [kg] |
|----------|----------------------------|--------------------------|---------------------|
| 50618031 | Brace, Med Duty ADJ 56-72" | 56[1422.4] TO 72[1828.8] | 14.60 [6.62]        |
| 50618030 | Brace, Med Duty ADJ 42-57" | 42[1066.8] TO 57[1447.8] | 10.80 [4.90]        |
| 50618029 | Brace, Med Duty ADJ 26-41" | 26[660.4] TO 41[1041.4]  | 8.00 [3.63]         |



# Popular Suspension Kits – Air, Mechanical and Disc Brakes




## SAF CBX FIXED FRAME SERIES KITS

### TRAILING ARM IDENTIFICATION

NOT SURE WHICH MODEL YOU HAVE?  
COMPARE TO THE TRAILING ARM DESIGNS SHOWN BELOW.

**245** (CBX23, CBX25 & CBX25/30)



**317** (CBX23)





**338** (CBX25 & CBX25/30)



### FRAME BRACKET IDENTIFICATION

WINGED

NON-WINGED



### CBX23




| CBX23 245 – NON-WINGED |                |            |
|------------------------|----------------|------------|
| RIDE HEIGHT            | SHOCK ABSORBER | AIR SPRING |
| 14"                    | 90045381       | 90557397   |
| 15"                    | 90045608       | 90557398   |
| 16"                    | 90045299       | 90557399   |
| 17"                    | 90045299       | 90557399   |

| CBX23 317 – NON-WINGED |                |            |
|------------------------|----------------|------------|
| RIDE HEIGHT            | SHOCK ABSORBER | AIR SPRING |
| 14"                    | 90045607       | 90557403   |
| 15"                    | 90045608       | 90557403   |
| 16"                    | 90045299       | 90557404   |
| 17"                    | 90045299       | 90557404   |

| CBX23 245 – WINGED |                |            |
|--------------------|----------------|------------|
| RIDE HEIGHT        | SHOCK ABSORBER | AIR SPRING |
| 14"                | 90044868       | 90557397   |
| 15"                | 90045381       | 90557398   |
| 16"                | 90044162       | 90557399   |
| 17"                | 90044162       | 90557399   |

| CBX23 317 – WINGED |                |            |
|--------------------|----------------|------------|
| RIDE HEIGHT        | SHOCK ABSORBER | AIR SPRING |
| 14"                | 90045381       | 90557373   |
| 15"                | 90045607       | 90557373   |
| 16"                | 90044162       | 90557404   |
| 17"                | 90044162       | 90557404   |

### CBX25




| CBX25 245 – NON-WINGED |                |            |
|------------------------|----------------|------------|
| RIDE HEIGHT            | SHOCK ABSORBER | AIR SPRING |
| 14"                    | 90045381       | 90557400   |
| 15"                    | 90045608       | 90557401   |
| 16"                    | 90045299       | 90557402   |
| 17"                    | 90045299       | 90557402   |

| CBX25 338 – NON-WINGED |                |            |
|------------------------|----------------|------------|
| RIDE HEIGHT            | SHOCK ABSORBER | AIR SPRING |
| 14"                    | 90045608       | 90557376   |
| 15"                    | 90044162       | 90557376   |
| 16"                    | 90045054       | 90557377   |
| 17"                    | 90045054       | 90557377   |

| CBX25 245 – WINGED |                |            |
|--------------------|----------------|------------|
| RIDE HEIGHT        | SHOCK ABSORBER | AIR SPRING |
| 14"                | 90044868       | 90557400   |
| 15"                | 90045381       | 90557401   |
| 16"                | 90044162       | 90557402   |
| 17"                | 90044162       | 90557402   |

| CBX25 338 – WINGED |                |            |
|--------------------|----------------|------------|
| RIDE HEIGHT        | SHOCK ABSORBER | AIR SPRING |
| 14"                | 90045607       | 90557376   |
| 15"                | 90045608       | 90557376   |
| 16"                | 90045040       | 90557377   |
| 17"                | 90045040       | 90557377   |

### CBX25/30



| CBX25/30 245 – NON-WINGED |                |            |
|---------------------------|----------------|------------|
| RIDE HEIGHT               | SHOCK ABSORBER | AIR SPRING |
| 14"                       | 90045607       | 90557410   |
| 15"                       | 90045608       | 90557410   |
| 16"                       | 90045299       | 90557409   |
| 17"                       | 90045299       | 90557409   |


| CBX25/30 338 – NON-WINGED |                |            |
|---------------------------|----------------|------------|
| RIDE HEIGHT               | SHOCK ABSORBER | AIR SPRING |
| 14"                       | 90044868       | 90557410   |
| 15"                       | 90045607       | 90557410   |
| 16"                       | 90044162       | 90557409   |
| 17"                       | 90044162       | 90557409   |

| CBX25/30 245 – WINGED |                |            |
|-----------------------|----------------|------------|
| RIDE HEIGHT           | SHOCK ABSORBER | AIR SPRING |
| 14"                   | 90044868       | 90557410   |
| 15"                   | 90045607       | 90557410   |
| 16"                   | 90044162       | 90557409   |
| 17"                   | 90044162       | 90557409   |

| CBX25/30 338 – WINGED |                |            |
|-----------------------|----------------|------------|
| RIDE HEIGHT           | SHOCK ABSORBER | AIR SPRING |
| 15"                   | 90045607       | 90557243   |
| 17"                   | 90044162       | 90557243   |

### CBX SWING ALIGN KIT


48100696



### CBX PIVOT BUSHING KIT

48100695

Complete kit for one axle.



### MAX VALVE HEIGHT CONTROL VALVE (HCV) KITS

- 50860013 Non-Dump
- 50860014 Pressure Dump
- 50860015 Pressure Dump – Normal Flow
- 50860016 Pressure Dump – Low Flow



NOTE: If the SAF trailer suspension kit you are looking for is not mentioned in this catalog, please contact our customer service representatives for assistance – 800.876.3929.

## SAF ● CBX Underslung Fixed Frame Series Kits

### TRAILING ARM IDENTIFICATION

NOT SURE WHICH MODEL YOU HAVE?  
COMPARE TO THE TRAILING ARM DESIGN BELOW.



**342** (CBX23u, CBX25u)



### FRAME BRACKET IDENTIFICATION

WINGED

NON-WINGED



### CBX23u



Underslung  
23,000 lbs.  
Capacity

### CBX25u



Underslung  
25,000 lbs.  
Capacity

#### CBX23u 342 – 3" UP TRAVEL – NON-WINGED

| RIDE HEIGHT | SHOCK ABSORBER | AIR SPRING |
|-------------|----------------|------------|
| 6"          | 90044868       | 90557403   |
| 9"          | 90044868       | 90557404   |
| 8"          | 90045608       | 90557377   |
| 9"          | 90044162       | 90557377   |
| 10"         | 90045040       | 90557377   |
| 12"         | 90045666       | 90557377   |

#### CBX23u 342 – 4" UP TRAVEL – NON-WINGED

|     |          |          |
|-----|----------|----------|
| 7"  | 90044868 | 90557403 |
| 8"  | 90045381 | 90557404 |
| 9"  | 90045608 | 90557377 |
| 10" | 90044162 | 90557377 |
| 12" | 90045040 | 90557377 |
| 13" | 90045054 | 90557377 |
| 14" | 90045054 | 90557119 |

#### CBX23u 342 – 3" UP TRAVEL – WINGED

|    |          |          |
|----|----------|----------|
| 6" | 90045381 | 90045381 |
|----|----------|----------|

#### CBX23u 342 – 4" UP TRAVEL – WINGED


|    |          |          |
|----|----------|----------|
| 7" | 90045381 | 90557403 |
| 8" | 90045608 | 90557404 |

#### CBX25u 342 – 4" UP TRAVEL – NON-WINGED

| RIDE HEIGHT | SHOCK ABSORBER | AIR SPRING |
|-------------|----------------|------------|
| 8"          | 90045381       | 90557404   |
| 10"         | 90044162       | 90557377   |
| 12"         | 90045040       | 90557377   |

### CBX SWING ALIGN KIT


48100696



### CBX PIVOT BUSHING KIT


48100695

Complete kit for  
one axle.



### MAX VALVE HEIGHT CONTROL VALVE (HCV) KITS

- 50860013 Non-Dump
- 50860014 Pressure Dump
- 50860015 Pressure Dump – Normal Flow
- 50860016 Pressure Dump – Low Flow



## SAF ● CBXA AEROBEAM™ FIXED FRAME SERIES KITS

### CBXAN23

Narrow Hanger



23,000 lbs.  
Capacity

| RIDE HEIGHT | SHOCK ABSORBER | AIR SPRING |
|-------------|----------------|------------|
| 14"         | 90044868       | 90557397   |
| 15"         | 90045381       | 90557397   |
| 16"         | 90044162       | 90557398   |
| 17"         | 90045299       | 90557399   |

### CBXAS23

Standard Hanger



23,000 lbs.  
Capacity

| RIDE HEIGHT | SHOCK ABSORBER | AIR SPRING |
|-------------|----------------|------------|
| 14"         | 90044868       | 90557397   |
| 15"         | 90045607       | 90557397   |
| 16"         | 90044669       | 90557398   |
| 17"         | 90045669       | 90557399   |

### CBXAS25

Standard Hanger



25,000 lbs.  
Capacity

| RIDE HEIGHT | SHOCK ABSORBER | AIR SPRING |
|-------------|----------------|------------|
| 14"         | 90044868       | 90557400   |
| 15"         | 90045607       | 90557401   |
| 16"         | 90044669       | 90557402   |
| 17"         | 90045669       | 90557399   |

### CBXAS30

Standard Hanger




30,000 lbs.  
Capacity

| RIDE HEIGHT | SHOCK ABSORBER | AIR SPRING |
|-------------|----------------|------------|
| 14"         | 90044868       | 90557480   |
| 15"         | 90045607       | 90557480   |
| 16"         | 90044299       | 90557479   |
| 17"         | 90045299       | 90557479   |

#### CBXAN SWING ALIGN KIT

48100699


Narrow Hanger



#### CBXAS SWING ALIGN KIT

48100696


Standard Hanger



#### CBXAN PIVOT CONNECTION KIT

48100700

Narrow Hanger




Complete kit  
for one axle.

#### CBXAN PIVOT BUSHING KIT

48100698

Narrow Hanger




Complete kit  
for one axle.

#### CBXAS PIVOT CONNECTION KIT

48100697

Standard Hanger




Complete kit  
for one axle.

#### CBXAS PIVOT BUSHING KIT

48100695

Standard Hanger



Complete kit  
for one axle.

#### MAX VALVE HEIGHT CONTROL VALVE (HCV) KITS

50860013 Non-Dump

50860014 Pressure Dump

50860015 Pressure Dump  
– Normal Flow

50860016 Pressure Dump  
– Low Flow



**SAF POSILIFT™ AXLE UNIT KITS**

**CBXA AEROBEAM™ POSILIFT**




FOR USE ON CBXAN23, CBXAS23, CBXAS25, CBXAS30 AND CBXA40 AEROBEAM™ MODELS

**BOLT-ON POSILIFT KIT (For CBXA AEROBEAM)**

- 48100732 - CBXAN (Narrow Width)
- 48100759 - CBXAS (Standard Width)

Includes parts for one side of the axle.




**BOLT-ON POSILIFT KIT (For CBX)**

44100170

Complete kit for one axle. Includes air springs.

\* Not available for disc brakes on CBX25 338 and CBX25/30 245 suspensions.



**LIFT AXLE CONTROL VALVES (For CBX and CBXA)**


50860011  
Electric Air Control Valve



50860009  
Manual Air Control Valve



**CBX POSILIFT**




FOR USE ON CBX23 AND CBX25 MODELS

**POSILIFT BRACKET REPLACEMENT KIT (For CBX)**

48100687


Does not include air spring. One side of axle only.



**BOLT-ON POSILIFT KIT (For CBX)**

48100688


Includes air spring. One side of axle only.



**BOLT-ON POSILIFT KIT (For CBX)**

48100497

Includes one air spring and fasteners.



**SAF** ● **CBX AIR SLIDER SERIES KITS**

**CBX40**

DISCONTINUED

REPLACED BY CBXA40 AEROBEAM




40,000 lbs.  
Capacity

| RIDE HEIGHT | SHOCK ABSORBER | AIR SPRING  |
|-------------|----------------|---|
| 16"         | 90045298       | 90557372  |
| 16.5"       | 90044162       |  |
| 17"         | 90044162       |   |

**SWING ALIGN KIT**


48100696



**PIVOT CONNECTION KIT**

48100695

Complete kit  
for one axle.



**MAX VALVE HEIGHT CONTROL VALVE (HCV) KITS**

- 50860013 Non-Dump
- 50860014 Pressure Dump
- 50860015 Pressure Dump – Normal Flow
- 50860016 Pressure Dump – Low Flow



**CBX46**



46,000 lbs.  
Capacity

**CBX50**



50,000 lbs.  
Capacity

**CBX69**



69,000 lbs.  
Capacity

**NOTE:** Contact Customer Service for CBX46, 50, & 69 kit part number assistance – 800.876.3929.

**SAF** **CBXA AEROBEAM™ AIR SLIDER SERIES KITS**


**CBXA40**



| RIDE HEIGHT | SHOCK ABSORBER | AIR SPRING |
|-------------|----------------|------------|
| 16"         | 90045298       | 90557372   |
| 16.5"       | 90044162       | 90557372   |
| 17"         | 90044162       | 90557372   |
| 18"         | 90045040       | 90557194   |


**PIVOT BUSHING KIT**

48100698




**SWING ALIGN KIT**

48100699




**PIVOT CONNECTION KIT**

48100700




**AIR SPRING KIT (16", 16.5", & 17" Ride Height)**

48100650



**AIR SPRING KIT (18" Ride Height)**

48100651



**MAX VALVE HEIGHT CONTROL VALVE (HCV) KITS**

- 50860013 Non-Dump
- 50860014 Pressure Dump
- 50860015 Pressure Dump – Normal Flow
- 50860016 Pressure Dump – Low Flow



**SAF** ● **ULX40, ULTRALITE™ & DURASYSTEM™**  
(Binkley)



**SAF** ● **DLX40 & DURALITE™**  
(Binkley)



**SAF** ● **ZFX40 & Z-FRAME**  
(Binkley)




KITS APPLY TO ALL MECHANICAL SUSPENSION MODELS

**FIXED TORQUE ARM KIT**

SPK0005

- 1 KIT PER AXLE
- 2 KITS PER TANDEM




TANDEM AXLE SUSPENSION

**U-BOLT KIT**

- SPK0009 9.38"
- SPK0010 9.88"
- SPK0011 10.38"
- SPK0012 10.88"
- SPK0013 11.38"




- 2 KITS PER AXLE END
- 4 KITS PER AXLE
- 8 KITS PER TANDEM (INCLUDES NUTS AND WASHERS)



**ADJUSTABLE TORQUE ARM KIT**

SPK0006

- 1 KIT PER AXLE
- (2 KITS PER TANDEM)




TANDEM AXLE SUSPENSION

**RETAINING BOLT KIT**

SPK0111

- 1 KIT PER AXLE
- (2 KITS PER TANDEM)




TANDEM AXLE SUSPENSION

**SAF** ● **P89 PARALLEL SPINDLE KITS**



**ROTOR REPLACEMENT**

51830049



**ROTOR ATTACHMENT**


51830051



**HUB CAP REPAIR**


2074200000200  
STD Grease

2074200000210  
PSI



**HUB ASSEMBLY SHORT STUD**

2073300000710



**HUB ASSEMBLY LONG STUD**

2073300000720



**DUST SHIELD**

1022300000040




**ABS SENSOR**

1022300000020




**PSP SEAL & SPACER**

51830064



**PSP REBUILD TP TRAILER**

51830065



**PSP SPINDLE NUT**

51830066




**PSP SEAL TP**

51830067



**TPP HUB CAP KIT**

48100737




**SAF** ● **P89 TAPER SPINDLE KITS**



**ROTOR REPLACEMENT**

51830049



**ROTOR ATTACHMENT**

51830050




**HUB ASSEMBLY SHORT STUD**

2073300000730



**HUB ASSEMBLY LONG STUD**

2073300000740



**DUST SHIELD**

1022300000040



**ABS SENSOR**

1022300000020



**TPP HUB CAP KIT**

48100737




**SAF P89 PLUS KITS**  
FEATURES SEALED BEARINGS




**ROTOR REPLACEMENT**

51830036



**ROTOR ATTACHMENT**


51830055



**HUB CAP REPAIR**


2074200000200  
STD Grease

2074200000210  
PSI




**HUB ASSEMBLY SHORT STUD**

2073190000120



**HUB ASSEMBLY LONG STUD**

2073190000130



**DUST SHIELD**

1022300000040




**ABS SENSOR**

1022300000020




**TPP HUB CAP KIT**

48100737




**SAF P89 INTEGRAL® KITS**  
EQUIPPED WITH  
STANDARD BEARINGS




**ROTOR REPLACEMENT**

51830036




**ROTOR ATTACHMENT**

51830038




**HUB CAP REPAIR**

2074200000210




**HUB ASSEMBLY SHORT STUD**

2073190000090



**HUB ASSEMBLY LONG STUD**

2073190000100



**DUST SHIELD**

1022300000040




**ABS SENSOR**

1022300000020



**TPP HUB CAP KIT**

48100737




**SAF** ● **C88 INTEGRAL®**  
**AIR DISC BRAKES KITS**



**ROTOR REPLACEMENT**

51830037




**ROTOR ATTACHMENT**

03434366300Z



**GEN I HUB ASSEMBLY SHORT STUD**

2073190000140  
(GEN I)  
2073190000160  
(GEN II)



**GEN I HUB ASSEMBLY LONG STUD KIT**

2073190000150  
(GEN I)  
2073190000170  
(GEN II)



**DUST SHIELD KIT**

1022300000040




**WABCO ABS KIT**

03029024200



**TPP HUB CAP KIT**

48100737




**SAF** ● **SK7 CALIPER KITS**

FOR C88 AND P89 INTEGRAL AIR DISC BRAKES


LEFT CALIPER: 51830039

RIGHT CALIPER: 51830040



**PAD KIT (LH/RH) CU- FREE**

03057008503



Green Teal  
Serial Tag  
(SK7 DOES NOT  
include SAF  
embossed stamp)

**DIAPHRAGM REBUILD KIT**

03434381400



**PIN REBUILD KIT**

03434381500



**SHEAR ADAPTER KIT**

03434381600



**MOUNTING BOLTS KIT**


03434366000



**SAF ● ST7 CALIPER KITS**


FOR P89 AND P89 PLUS AIR DISC BRAKES

LEFT CALIPER: 51830052  
RIGHT CALIPER: 51830053



**PAD KIT (LH/RH) CU- FREE**

03057000603



Blue Serial Tag

**DIAPHRAGM REBUILD KIT**


03434382300



SAF Embossed Stamp

**PIN REBUILD KIT**

03434381500



**SHEAR ADAPTER KIT**

03434381600



**MOUNTING BOLTS KIT**

03434366000




**SAF ● SBS2220H20 CALIPER KITS**




FOR P89 AND P89 PLUS AIR DISC BRAKES

LEFT CALIPER: 51830062  
RIGHT CALIPER: 51830063



**PAD KIT (LH/RH) CU- FREE**

03057009703



OLD SAF Steel Serial Tag

**THRUST PIECES KIT**


03434386300



OLD SAF De-Bossed Stamp

**GUIDE SEAL KIT**

03434386100



NEW Haldex Steel Serial Tag

**RESET SHAFT KIT**

03434386200



**MOUNTING BOLTS KIT**


03434366000



NEW Haldex De-Bossed Stamp



# Popular Service Tools



**SAF Holland**  
ORIGINAL PARTS™



## SERVICE TOOLS (See next page for details)

| PART NUMBER                 | DESCRIPTION  |
|-----------------------------|--|
| <b>FIFTH WHEELS</b>         |  |
| TF-04229-1                  | Rebuild Stand  |
| TF-TLN-5001                 | Lock Adjustment Tool - 2"  |
| TF-TLN-2500                 | Slider Spring Compressor   |
| TF-0237                     | 2" Plug  |
| <b>KINGPINS</b>             |  |
| TF-0110                     | Kingpin Wear Gauge   |
| <b>COUPLING PRODUCTS</b>    |  |
| TF-10520                    | Pintle Hook Wear Gauge – PH-550 Series   |
| TF-10612                    | Pintle Hook Wear Gauge – PH-300, PH-300-R, PH-400-H  |
| TF-11887                    | Drawbar Eye Wear Gauge Set   |
| TF-10960                    | Pintle Hook Gap & Wear Gauge – PH-10RP with Frame Numbers XD-11047 and XE-10635, PH-30RP, PH-30SA, PH-30SB |
| TF-03147-10                 | Coupler Plunger Adjustment Tool – PH-210, PH-310, PH-410 Series  |
| TF-10521                    | Pintle Hook Wear Gauge – PH-760 & 775 Series   |
| TF-10522                    | Pintle Hook Wear Gauge – PH-T-60-AOL-8, PH-T-60-AOS-L-8, PH-30, PH-35 Series                               |
| TF-10523                    | Pintle Hook Wear Gauge – PH-T-90-A, PH-T-126-A   |
| TF-03147                    | Coupler Plunger Adjustment Tool – PH-200, PH-300, PH-400, PH-550 Series                                    |
| <b>DISC AND DRUM BRAKES</b> |  |
| 03434332802                 | Universal Disc Brake Tool Kit  |
| 03434332700Z                | Brake Adjustment Ring w/Spanner Wrench & Adapter 8/10mm – C88 & P89 Models                                 |
| 04434382800Z                | 85mm Spindle Nut Socket – C88 Models   |
| 04434386200Z                | 15mm Hub Unit Socket w/ 1/2" Drive – C88 & P89 Models  |
| 04434385900Z                | 24mm Caliper Bolt Socket w/ 3/4" Drive – C88 & P89 Models  |
| 01434104100Z                | Hub Cap Removal Lever – C88 Model  |
| 04434106800Z                | Hub Mounting Tool 88mm – C88 Model   |
| 48100745                    | Disc Brake Pad Measuring Tool  |
| <b>SUSPENSIONS</b>          |  |
| 48100538                    | Bushing Bearing Service Tool – LSZ   |
| 50544012                    | Bushing Service Tool – ADZ, AD, ART, ADL, RL, RLU, NS, and NL Models                                       |
| 50544015                    | Bushing Service Tool – CB & CBX Models   |
| XL-AS20060ST-en-US          | Trailer Suspension Ride Height Gauge   |

## SERVICE AND CHECKING TOOLS FOR SAF, HOLLAND AND NEWAY PRODUCTS

These service support tools bring added convenience to a fleet's maintenance team when they maintain and inspect SAF and NEWAY air suspensions, SAF air disc brake axles, HOLLAND fifth wheels, kingpins, pintle hooks and drawbars.



### FIFTH WHEEL SERVICE TOOLS




### SUSPENSION SERVICE TOOLS



**50544012**  
Bushing Service Tool For: ADZ, AD, ART, and ADL Series RL, RLU, NS and NL Series


**50544015**  
Bushing Service Tool For: CBX Series CB and CBY Series



**XL-AS20060ST-en-US**  
Trailer Suspension Ride Height Gauge For: CBX Series (5.75" Axles Only)



### KINGPIN WEAR GAUGE



**TF-0110**  
Kingpin Wear Gauge For: 2" and 3.5" Diameter



### PINTLE HOOK AND DRAWBAR GAUGE



**TF-11887**  
Drawbar Eye Wear Gauge Set


**TF-10520**  
Pintle Hook For PH-550 Series

**TF-10612**  
Pintle Hook Gauge For PH-200/210/300/310/400/400-H/410/411

- TF-10960 – Pintle Hook Gap & Wear Gauge
- TF-03147-10 – Plunger Adjustment Tool
- TF-10521 – Pintle Hook Wear Gauge – PH-760 & 775 Series
- TF-10522 – Pintle Hook Gap & Wear Gauge – PH-T-60-AOL-8, PH-T-60-AOS-L-8, PH-30 & PH-35 Series
- TF-10523 – Pintle Hook Gap & Wear Gauge – PH-T-90-A & PH-T-126-A
- TF-03147 – Plunger Adjustment Tool – PH-200, PH-300, PH-400 & PH-550 Series



### AIR DISC BRAKE TOOLS



**3434332800**  
Universal Disc Brake Tool Kit

**0343433500**  
SBS220H20 Disc Brake Tool KIT



**04434106800**  
85mm Spindle Nut Socket for C88

**04434382800Z**  
88mm Hub Mounting Tool for C88

**04434385900Z**  
24mm Caliper Bolt with 3/4" drive for C88 & P89

**04434386200Z**  
15mm Hub Unit Socket with 1/2" Drive for C88 & P89

**01434104100Z**  
Hubcap Removal Lever

## Engineering Your Road to Success

The SAF-HOLLAND Group is one of the leading international manufacturers of suspension-related assemblies and components for trailers, trucks and buses. Our innovative products increase the efficiency, safety and environmental friendliness of commercial vehicles that contribute to the success of our customers. With around 5,500 employees worldwide, we are at the forefront of shaping the future of the transportation industry.



Trailer Axles and  
Suspension Systems



Coupling and Lifting  
Technologies



Brake Solutions and  
Air Valve Technologies



Suspensions and Components  
for Commercial Vehicles



Suspensions for  
Trucks and Buses



Trailer  
Telematics



V.ORLANDI  
Coupling and Lifting  
Technologies



Trailer Axles and  
Suspensions Systems

[safholland.com](http://safholland.com)

**SAF-HOLLAND, Inc.**  
Tel 800.876.3929

**SAF-HOLLAND Canada Limited**  
Woodstock 519.537.3494  
Surrey 604.574.7491  
Cambridge 519.621.3924

**SAF-HOLLAND Mexico**  
Tel 52.55.5456.8641

[haldex.com](http://haldex.com)

**Haldex Brake Products**  
Tel 816.891.2470